

Barcode4J Documentation Overview

by Web Maestro Clay

Table of contents

- 1 Introduction..... 2
- 2 Barcode4J Documentation Links..... 2
 - 2.1 Scenarios..... 2
 - 2.2 Creating Barcodes..... 2

1 Introduction

This page describes the documentation structure for **Barcode4J**.

2 Barcode4J Documentation Links

[The Barcode XML Format](#)

describes the XML format used by **Barcode4J** to define barcodes. It also contains notes about the message format supported by each symbology.

[Output Formats](#)

gives information about the various output formats supported by **Barcode4J** and tells you how to implement additional output formats.

[Design](#)

describes how **Barcode4J** was designed to implement and configure barcodes using XML, in a way that the whole package can easily be integrated into a bigger work.

2.1 Scenarios

These pages show Use Cases for generating barcodes using **Barcode4J**:

[XSL-FO](#)

shows a use case for generating barcodes in [SVG format](#) format for [XSL-FO](#) documents.

[SVG DOM](#)

describes the generation of an [SVG format](#) barcode in Java.

2.2 Creating Barcodes

These pages describe the differing dependencies and options for using **Barcode4J**:

[...with FOP](#)

describes how to generate barcodes within an [XSL-FO](#) document with that is processed with [Apache FOP](#).

[...with Xalan-J](#)

describes how to generate barcodes in [SVG format](#) within an XSLT stylesheet that is processed with [Apache Xalan-J](#)

[...with SAXON](#)

describes how to generate barcodes in [SVG format](#) within an XSLT stylesheet that is processed with the [SAXON XSLT Processor from Michael Kay](#).

[...with a Servlet](#)

describes a simple Servlet that can be used to generate barcodes in [SVG](#), EPS or any supported bitmap format with a URL.

[...from the Command Line](#)

describes how to use the command line interface that comes with **Barcode4J**.

[...embedding in Java \(XML API\)](#)

describes how to integrate **Barcode4J** in a Java application using the XML API.

[...embedding in Java \(Bean API\)](#)

describes how to integrate **Barcode4J** in a Java application using the JavaBeans API.