

Barcode4J examples

by Jeremias Märki

Table of contents

1 Example PDF.....	2
2 Example Web Application.....	2
3 Preview of all supported barcode symbologies.....	2

The directory `examples/` in the distribution contains some example files that show what **Barcode4J** can do.

1 Example PDF

The directory `examples/xsl-fo/` contains an XML file with barcode instructions (`barcodes.xml`) and an associated stylesheet (`barcodes2xsl-fo.xsl`) that converts the XML file to XSL-FO.

The resulting PDF generated by [Apache FOP](#):









[view](#) (around 102KB)

2 Example Web Application

The directory `examples/webapp/` contains an sample web application that provides an interactive demo for barcode generation with the Barcode Servlet. It is written using JSP. The build generates the web application by default. To play with it just drop the `build/barcode4j.war` file in your favourite web container.

3 Preview of all supported barcode symbologies

Barcode type	PNG graphic
Interleaved 2 of 5	
ITF-14	
Code 39	
Code 128	
Codabar	
UPC-A	











Barcode type	PNG graphic
UPC-E	 <p>0 123413 3</p>
EAN-13	 <p>2 001234 567893</p>
EAN-8	 <p>2012 3451</p>
POSTNET	
Royal Mail Customer Barcode	
USPS Intelligent Mail	
PDF417	
DataMatrix (square)	
DataMatrix (rectangular)	
QR Code	

Table 1: PNG and SVG versions